

**REPORT ON INTERNAL CONTROL OVER FINANCIAL REPORTING AND  
ON COMPLIANCE AND OTHER MATTERS BASED ON AN AUDIT OF  
FINANCIAL STATEMENTS PERFORMED IN ACCORDANCE WITH  
*GOVERNMENT AUDITING STANDARDS***

To the Board of Trustees  
Government of Guam Retirement Fund:

We have audited the accompanying financial statements of the Government of Guam Retirement Fund, as of and for the fiscal years ended September 30, 2007 and 2006, and have issued our report thereon dated February 1, 2008. We conducted our audit in accordance with auditing standards generally accepted in the United States of America and the standards applicable to financial audits contained in *Government Auditing Standards*, issued by the Comptroller General of the United States.

Internal Control Over Financial Reporting

In planning and performing our audit, we considered the Government of Guam Retirement Fund's internal control over financial reporting as a basis for designing our auditing procedures for the purpose of expressing our opinions on the financial statements, but not for the purpose of expressing an opinion on the effectiveness of the Government of Guam Retirement Fund's internal control over financial reporting. Accordingly, we do not express an opinion on the effectiveness of the Government of Guam Retirement Fund's internal control over financial reporting.

A control deficiency exists when the design or operation of a control does not allow management or employees, in the normal course of performing their assigned functions, to prevent or detect misstatements on a timely basis. A significant deficiency is a control deficiency, or combination of control deficiencies, that adversely affects the Government of Guam Retirement Fund's ability to initiate, authorize, record, process, or report financial data reliably in accordance with generally accepted accounting principles such that there is more than a remote likelihood that a misstatement of the Government of Guam Retirement Fund's financial statements that is more than inconsequential will not be prevented or detected by the Government of Guam Retirement Fund's internal control.

A material weakness is a significant deficiency, or combination of significant deficiencies, that results in more than a remote likelihood that a material misstatement of the financial statements will not be prevented or detected by the Government of Guam Retirement Fund's internal control.

Our consideration of internal control over financial reporting was for the limited purpose described in the first paragraph of this section and would not necessarily identify all deficiencies in internal control that might be significant deficiencies or material weaknesses. We did not identify any deficiencies in internal control over financial reporting that we consider to be material weaknesses, as defined above.

#### Compliance and Other Matters

As part of obtaining reasonable assurance about whether the Government of Guam Retirement Fund's financial statements are free of material misstatement, we performed tests of its compliance with certain provisions of laws, regulations, contracts, and grant agreements, noncompliance with which could have a direct and material effect on the determination of financial statement amounts. However, providing an opinion on compliance with those provisions was not an objective of our audit, and accordingly, we do not express such an opinion. The results of our tests disclosed no instances of noncompliance or other matters that are required to be reported under *Government Auditing Standards*.

We noted certain matters that we reported to management of the Government of Guam Retirement Fund in a separate letter dated February 1, 2008.

This report is intended solely for the information and use of management, the audit committee, and the Board of Trustees. However, this report is a matter of public record and its distribution is not limited.

*Burgin & Comer, P.C.*

Tamuning, Guam  
February 1, 2008

**CURRENT YEAR FINDINGS**

NONE.

**PRIOR YEAR FINDINGS BEING REPEATED**

NONE.